


Bike Rack, R-8224-FL

Drop-in Anchor Installation:

- 1) Use a carbide tip drill bit (conforming to ANSI B 212.15) to drill 5/8" x 2" hole (dia. x depth)
- 2) Clean drill hole of debris
- 3) Insert anchor into drill hole
- 4) Use hammer and proper setting tool* (for 1/2" Drop-In Anchor from UCAN) to drive plug down
- 5) Fasten button head screw (Maximum torque 22 ft x lbf)
- * Substitute a narrow punch tool at installer's risk



Specifications:

Height: 32 1/2"

Cross Span: 35 1/2"

General Description:

The R-8224-FL Circular Bike Rack offers a narrow design,

The round, ring-shape offers 2-point contact with bike

frame. Install circular bike racks in series for custom, high-capacity bike corrals. Circular bike racks are made from carbon steel and feature durable powder coatings to prevent corrosion and wear. Select from 1 of 6 custom colors. Bolt-down flanges for existing concrete surfaces.

frames to avoid tipping-and is long enough to

making it suitable for sidewalks and other pedestrian areas.

accommodate a U-lock or cable through each tire and bike


Weight: 32 lbs

Material: Steel

Finish Options:

✓ Polyester Powdercoated

See Reliance Foundry's standard color options at www.reliance-foundry.com/bollard/colors-bollards



Notes:

- Embedment details are for reference illustration only. Minimum foundation sizes depend on local soil conditions, weather conditions and engineering requirements.
- Bike rack is provided as shown with parts listed below. Concrete foundation and/or installation not provided by Reliance Foundry.
- This drawing is not drawn to scale. Dimensions provided herein are for reference only. Please consult Reliance Foundry sales professionals if any dimension is critical to your particular installation.
- Reliance Foundry reserves the right to amend design and specifications without prior notice for product improvement.

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada 1-877-789-3245 info@reliance-foundry.com www.reliance-foundry.com

TITLE

Bike Rack, R-8224-FL

SIZE		DWG NO		REV
U		R8224FL		C1
NOT TO SCALE			SHEET 1 OF 2	

PARTS LIST ITEM QTY PART NUMBER DESCRIPTION **MATERIAL** WEIGHT R8224FL Bike Rack R8224FL Steel Powder Coated 32 lbs 1 Stainless Steel Washer 1/2" Stainless Steel Washer 1/2" OD 1 1/4" Thick .05" 2 4 Stainless Steel Button Head Bolt 1/2" x 1 1/4" Hexagon Socket Button Head Cap Bolt 1/2" x 1 1/4" - requires 5/16" hex key Stainless Steel 1/8 lbs Drop-in Concrete Insert 1/2" Drop-in Concrete Insert 1/2" - requires 5/8" x 2" hole (dia. x depth) Steel Plated 1/8 lbs

COPYRIGHT RESERVED THIS PLAN DRAWING AND DESIGN ARE, AND AT ALL TIMES REMAIN, THE EXCLUSIVE PROPERTY OF RELIANCE FOUNDRY CO. LTD.

3 4 2

