



Bike Rack, Model R-8246-FL-SS

Drop-in Anchor Installation:

- 1) Use a carbide tip drill bit (conforming to ANSI B 212.15) to drill 5/8" x 2" hole (dia. x depth)
- 2) Clean drill hole of debris
- 3) Insert anchor into drill hole
- 4) Use hammer and proper setting tool* (for 1/2" Drop-In Anchor from UCAN) to drive plug down
- 5) Fasten button head screw (Maximum torque 22 ft x lbf)
- * Substitute a narrow punch tool at installer's risk





General Description:

The R-8246-FL-SS Stainless Steel Bike Rack features a unique fin-shape design. R-8246-FL-SS Bike Racks are made from high-quality 316 stainless steel, providing modern style with resistance to corrosion and wear. Flanged base is easy to install in existing concrete with drop-in anchors.

Specifications:

Height: 33"

Cross Span: 59"

Weight: 25 lbs

Material: Stainless Steel AISI 316

Finish Options:

- Polished with a satin surface finish
- O Avaliable polyester powdercoated option See Reliance Foundry's standard color options at www.reliance-foundry.com/bollard/colors-bollards

Notes:

- Embedment details are for reference illustration only. Minimum foundation sizes depend on local soil conditions, weather conditions and engineering requirements.
- Bike rack is provided as shown with parts listed below. Concrete foundation and/or installation not provided by Reliance Foundry.
- This drawing is not drawn to scale. Dimensions provided herein are for reference only. Please consult Reliance Foundry sales professionals if any dimension is critical to your particular installation.
- Reliance Foundry reserves the right to amend design and specifications without prior notice for product improvement.

RELIANCE FOUNDRY — SINCE 1925 —

Unit 207, 6450 - 148 Street, Surrey, BC V3S 7G7, Canada 1-877-789-3245 info@reliance-foundry.com www.reliance-foundry.com

TITLE

Bike Rack, Model R-8246-FL-SS

SIZE		DWG NO		REV
С		R8246FLSS		С
IOT TO SCALE			SHEET 1 OF 2	

PARTS LIST										
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT					
1	1	R8246FLSS	Bike Rack R8246FLSS	Stainless Steel 316	25 lbs					
2	6	Stainless Steel Washer 1/2"	Stainless Steel Washer 1/2" OD 1 1/4" Thick .05"	Stainless Steel						
3	6	Button Head Bolt 1/2" x 1 1/4"	Hexagon Socket Button Head Cap Bolt 1/2" x 1 1/4" - requires 5/16" hex key	Stainless Steel	1/8 lbs					
4	6	Drop-in Concrete Insert 1/2"	Drop-in Concrete Insert 1/2" - requires 5/8" x 2" hole (dia. x depth)	Steel Plated	1/8 lbs					

COPYRIGHT RESERVED THIS PLAN DRAWING AND DESIGN ARE, AND AT ALL TIMES REMAIN, THE EXCLUSIVE PROPERTY OF RELIANCE FOUNDRY CO. LTD.

